

EnLiten™ Flush-Glazed Designs  
FOR FIBER-CLASSIC® & SMOOTH-STAR® DOORS & SIDELITES

**THERMA TRU®**  
DOORS



MANIFEST YOUR OUTER HOME


# Designs for any entry.

At Therma-Tru, we believe your door should always welcome you home — while playing seamlessly into your style. Our EnLiten™ flush-glazed designs create striking profiles that effortlessly combine indoor and outdoor living spaces, inviting in more natural light than ever. The possibilities are endless, giving you doors that perfectly fit your lifestyle.



## Create a clean look with maximum views.

During manufacturing, double- or triple-pane glass is built directly into the door. This design eliminates the need for a lite frame and screw plugs, achieving a seamless, consistent finish. Flush-glazed glass expands your view by 16%<sup>1</sup> — choose flush-glazed glass for more natural light and a sleek, uninterrupted aesthetic.



<sup>1</sup>EnLiten flush-glazed designs offer up to a 16% increase in visible glass area compared to conventional lite frames.

Top Left: Smooth-Star, Satin Etch Glass with SDLs, Door – S5700XE, Finish – Elk  
Top Right: Smooth-Star, Low-E Glass with SDLs, Door – S4200, Sidelite – S3200SL, Finish – Canyon  
Right Page, Top Left: Smooth-Star, Clear Glass with SDLs, Doors – S85715, Finish – Alpine  
Right Page, Top Right: Smooth-Star, Internal Blinds, Door – S2600



## See the difference.

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



**Flush-Glazed Glass with Detailed Sticking**  
Look for the ( 🔴 ) symbol.




**Flush-Glazed Glass with Square Sticking**  
Look for the ( 🔵 ) symbol.



**Lip-Lite Frame**

## Seamless style. Controllable privacy.

Smooth-Star® doors with internal blinds featuring EnLiten flush-glazed designs deliver simplicity and convenience with contemporary appeal. Discover attractive, durable entry solutions for around the house, including patio, side and back doors allowing for optimal daylight and outdoor views, or complete privacy.



# Strength is built in.

Our doors are durable by design. Flush-glazed glass represents a trouble-free solution that provides a superior barrier against the elements, resulting in performance you can depend on.

## Durable by design.

Intentional design for exceptional performance — sleek flush-glazed glass provides increased protection against air and water infiltration.<sup>1</sup>



### Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



### 11% More Energy-Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.<sup>2</sup>



### Withstands Winds Up to 167mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).<sup>3</sup> (ASTM-E330)

## Year-round comfort, no matter the weather.


Factory-coated Low-E glass features a thin layer that reflects infrared and ultraviolet (UV) light, helping deliver exceptional energy efficiency.

**NEW**

Select flush-glazed full-lite configurations are now available with triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements indicated in **gold** starting on page 10.



In cold weather, Low-E glass reflects a home's heat back inside to help keep the home warm.



In warm weather, Low-E glass reflects the sun's rays off the glass and a home's air conditioning back inside to help keep the home cool.

<sup>1</sup>Comparison of a flush-glazed full-lite door and a Lip-lite full-lite door.

<sup>2</sup>Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

<sup>3</sup>Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Check product approvals before purchasing.

Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on ENERGY STAR qualified products.

Right Page: Fiber-Classic Mahogany Collection, Saratoga Glass, Door – FCM86240, Sidelites – FCM86201SL, Finish – Acorn


# Decorative Glass Options with Triple-Pane Construction

## Saratoga™

The first decorative glass available in flush-glazed designs for Fiber-Classic and Smooth-Star, Saratoga evokes a certain urban sophistication while offering modest privacy with its clear bevels, diamond glass, reeded glass and coming. The geometric pattern bridges both modern and traditional designs.



1 7 10  
Privacy Scale



Black Nickel




Brushed Nickel



# Privacy & Textured Glass Options with Triple-Pane Construction

For just the right balance of privacy and natural light, textured glass options provide a smart solution.



Triple-Pane Flush-Glazed Glass

## Reeded (XK)



1 Privacy Scale 7 10

## Satin Etch (XE)



1 Privacy Scale 10

## Chord (XC)



1 Privacy Scale 10

## Chinchilla (XJ)



1 Privacy Scale 10

## Rainglass (XR)



1 Privacy Scale 8 10

## Granite (XN)



1 Privacy Scale 10

# Divided Lites

## For Clear and Privacy Glass

Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Coordinate with the home's window patterns for a cohesive look and increased curb appeal. Choose from Colonial, Craftsman, Prairie and Modern styles to suit the home's architectural details. Tailor the look with different texture, profile and color choices. Available glass options include elegant privacy and textured, energy-efficient Low-E and clear glass.

### Simulated Divided Lite (SDL) Bar Options



Grained Scrolled  
(28.6 mm / 1.125 in.)



Grained Flat  
(28.6 mm / 1.125 in.)



Grained Wide  
(88.9 mm / 3.5 in.)



Smooth Scrolled  
(28.6 mm / 1.125 in.)



Smooth Flat  
(28.6 mm / 1.125 in.)



Smooth Wide  
(88.9 mm / 3.5 in.)

### GBG Bar Options



Flat  
(20 mm / 0.787 in.)



Contour  
(18 mm / 0.708 in.)

### GBG Color Options



White



Almond<sup>1</sup>



Bronze<sup>1</sup>



Black



Tan<sup>2</sup>



Stone<sup>2</sup>


Black GBGs available in select grid patterns for Smooth-Star, Profiles, and Traditions only.

<sup>1</sup>Almond and Bronze GBGs available in flat bars only.

<sup>2</sup>Available in Special Quote Program.

Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on available product sizes and options, and details on glass privacy ratings and designs.

### GRID PATTERNS



## **NEW** Flush-Glazed Half-Lite 1-Panel Shaker Doors & Sidelites for Smooth-Star® Doors



### **Classic Shaker-style charm.**

Capture the beautiful simplicity of Shaker style with half-lite 1-panel Shaker doors and sidelites with flush-glazed glass. Available with privacy and textured, energy-efficient Low-E glass and divided lite styles.

**Now Available**

## **NEW** Impact-Rated Full-Lite Flush-Glazed Glass Designs for Smooth-Star® Doors



### **More light along the coast.**

Enjoy the clean style and increased daylight opening of full-lite EnLiten™ flush-glazed glass, now engineered to withstand extreme weather conditions.<sup>1</sup> Available with privacy and textured, energy-efficient Low-E glass and a wide selection of simulated divided lite styles.

<sup>1</sup>Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed.

Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for product approvals, installation instructions and details on available product sizes and options. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.













Top: Smooth-Star, Low-E Glass with SDLs, Door - S84200, Finish - Golden Wheat

Right Page: Fiber-Classic Oak Collection, Clear Glass with SDLs, Door - FC5700, Sidelite - FC5700SL, Finish - Wildflower Honey

# Full Lites



## PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

 <b>Oak</b>	 <b>Oak</b>	 <b>Oak</b>	 <b>Oak</b>	 <b>Oak</b>	 <b>Oak</b>	 <b>Oak</b>			
<b>FC1205_</b> ▲ ▲ 26" x 6'8" 28" x 6'8" 30" x 6'8"	<b>FC1207_</b> ▲ ▲ 26" x 6'8" 28" x 6'8" 30" x 6'8"	<b>2010_</b> ▲ ▲ 26" x 6'8" 28" x 6'8" 30" x 6'8"	<b>2050_</b> ▲ ▲ 26" x 6'8" 28" x 6'8" 30" x 6'8"	<b>2050_SL</b> ▲ ▲ 12" x 6'8" 14" x 6'8"	<b>FC5700_</b> ▲ ▲ 26" x 6'8" 28" x 6'8" 30" x 6'8"	<b>FC85700_</b> ▲ ▲ 26" x 8'0" 28" x 8'0" 210" x 8'0" 3'0" x 8'0"			
 <b>Oak</b>	 <b>Oak</b>	 <b>Oak</b>	 <b>Oak</b>	 <b>Oak</b>	 <b>Oak</b>				
<b>FC5710_</b> ▲ ▲ 26" x 6'8" 28" x 6'8" 30" x 6'8"	<b>FC85710_</b> ▲ ▲ 26" x 8'0" 28" x 8'0" 210" x 8'0" 3'0" x 8'0"	<b>FC5720_</b> ▲ ▲ 26" x 6'8" 28" x 6'8" 30" x 6'8"	<b>FC85720_</b> ▲ ▲ 26" x 8'0" 28" x 8'0" 210" x 8'0" 3'0" x 8'0"	<b>FC691_</b> ▲ ▲ 26" x 6'8" 28" x 6'8" 30" x 6'8"	<b>FC8691_</b> ▲ ▲ 26" x 8'0" 28" x 8'0" 210" x 8'0" 3'0" x 8'0"	<b>FC8685L_</b> ▲ ▲ 26" x 6'8" 28" x 6'8" 30" x 6'8"	<b>FC8685L_</b> ▲ ▲ 26" x 8'0" 28" x 8'0" 210" x 8'0" 3'0" x 8'0"	<b>FC8685R_</b> ▲ ▲ 26" x 6'8" 28" x 6'8" 30" x 6'8"	<b>FC8685R_</b> ▲ ▲ 26" x 8'0" 28" x 8'0" 210" x 8'0" 3'0" x 8'0"

## PRIVACY & TEXTURED GLASS WITH DIVIDED LITES *Continues on next page.*

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 6.








**XK = Reeded**  
**XE = Satin Etch**






**XC = Chord**  
**XJ = Chinchilla**




**XR = Rainglass**  
**XN = Granite**

**NEW**

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold ▽.

						
<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
FC5700_SL 🔥🌞🌿 12" x 6'8" 14" x 6'8"	FC5710_SL 🔥🌞🌿 12" x 6'8" 14" x 6'8"	FC5720_SL 🔥🌞🌿 12" x 6'8" 14" x 6'8"	S1205 🔥🌞🌿🌿🌿 2'6" x 6'8" △ 2'8" x 6'8" △ 2'10" x 6'8" △ 3'0" x 6'8" △	S1207 🔥🌞🌿🌿 2'6" x 6'8" △ 2'8" x 6'8" △ 2'10" x 6'8" △ 3'0" x 6'8" △	S2010_ 🔥🌞🌿🌿 2'6" x 6'8" △ 2'8" x 6'8" △ 2'10" x 6'8" △ 3'0" x 6'8" △	S2050_ 🔥🌞🌿🌿 2'6" x 6'8" △ 2'8" x 6'8" △ 2'10" x 6'8" △ 3'0" x 6'8" △

				
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
S5705 🔥🌞🌿🌿 2'6" x 6'8" △ 2'8" x 6'8" △ 2'10" x 6'8" △ 3'0" x 6'8" △	S85705_ 🔥🌞🌿🌿 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S5715_ 🔥🌞🌿🌿 2'6" x 6'8" △ 2'8" x 6'8" △ 2'10" x 6'8" △ 3'0" x 6'8" △	S85715_ 🔥🌞🌿🌿 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S5725_ 🔥🌞🌿🌿 2'6" x 6'8" △ 2'8" x 6'8" △ 2'10" x 6'8" △ 3'0" x 6'8" △
S85725_ 🔥🌞🌿🌿 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2010_SL 🔥🌞🌿🌿 10" x 6'8" △ 12" x 6'8" △ (70") 14" x 6'8" △ (70")	S85226_SL 🔥🌞🌿 12" x 8'0" 14" x 8'0"	S2000_SL-2C* 🔥🌞🌿 10" x 6'8" △ 12" x 6'8" △ (70") 14" x 6'8" △ (70")	

				
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
S2000_SL-4C* 🔥🌞🌿 10" x 6'8" △ 12" x 6'8" △ 14" x 6'8" △	S5700_ 🔥🌞🌿 2'6" x 6'8" △ 2'8" x 6'8" △ 2'10" x 6'8" △ 3'0" x 6'8" △	S85700_ 🔥🌞🌿 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S5710_ 🔥🌞🌿 2'6" x 6'8" △ 2'8" x 6'8" △ 2'10" x 6'8" △ 3'0" x 6'8" △	S85710_ 🔥🌞🌿 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
S5720_ 🔥🌞🌿 2'6" x 6'8" △ 2'8" x 6'8" △ 2'10" x 6'8" △ 3'0" x 6'8" △	S85720_ 🔥🌞🌿 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S691_ 🔥🌞🌿 2'6" x 6'8" △ 2'8" x 6'8" △ 2'10" x 6'8" △ 3'0" x 6'8" △	S8691_ 🔥🌞🌿 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	

**Privacy & Textured Glass Options**  
 Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 6.

<b>XK = Reeded</b>	<b>XC = Chord</b>	<b>XR = Rainglass</b>
<b>XE = Satin Etch</b>	<b>XJ = Chinchilla</b>	<b>XN = Granite</b>



Smooth

S3400L



2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S83400L



2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S3400R




2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S83400R



2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S3300



2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S83300



2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S3500L



2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S83500L



2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S3500R




2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S83500R



2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S685L



2'6" x 6'8"  $\Delta$   
2'8" x 6'8"  $\Delta$   
2'10" x 6'8"  $\Delta$   
3'0" x 6'8"  $\Delta$

S8685L



2'6" x 8'0"  $\Delta$   
2'8" x 8'0"  $\Delta$   
2'10" x 8'0"  $\Delta$   
3'0" x 8'0"  $\Delta$



Smooth

S685R



2'6" x 6'8"  $\Delta$   
2'8" x 6'8"  $\Delta$   
2'10" x 6'8"  $\Delta$   
3'0" x 6'8"  $\Delta$

S8685R



2'6" x 8'0"  $\Delta$   
2'8" x 8'0"  $\Delta$   
2'10" x 8'0"  $\Delta$   
3'0" x 8'0"  $\Delta$



Smooth

S3600L



2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S83600L



2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S3600R



2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S83600R



2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S5700\_SL




10" x 6'8"  $\Delta$   
12" x 6'8"  $\Delta$  (70")  
14" x 6'8"  $\Delta$  (70")

S85227\_SL



12" x 8'0"  
14" x 8'0"



Smooth

S5710\_SL



10" x 6'8"  $\Delta$   
12" x 6'8"  $\Delta$  (70")  
14" x 6'8"  $\Delta$  (70")

S85228\_SL



12" x 8'0"  
14" x 8'0"



Smooth

S5720\_SL



10" x 6'8"  $\Delta$   
12" x 6'8"  $\Delta$  (70")  
14" x 6'8"  $\Delta$  (70")

S85229\_SL



12" x 8'0"  
14" x 8'0"

Flush-Glazed Glass with Detailed Sticking (FG)  
 Flush-Glazed Glass with Square Sticking (FG)

Low-E Glass (LE)  
 Simulated Divided Lites (SDL)  
 Simulated Divided Lites (SDLF1)

Simulated Divided Lites (SDLF2)  
 Vented Sidelite Options  
 WBDR Options

Elevated 10" Bottom Rail Options  
 6'6" Height Available

**NEW**

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR. requirements in all 50 states indicated in gold.

**PRIVACY & TEXTURED GLASS**

**INTERNAL BLINDS**




Oak

2000\_   
 2'6" x 6'8"   
 2'8" x 6'8"   
 3'0" x 6'8"



Oak

2000\_SL   
 12" x 6'8"   
 14" x 6'8"




Smooth

S2000\_   
 2'6" x 6'8"   
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"



Smooth

S8000\_   
 2'6" x 8'0"   
 2'8" x 8'0"   
 2'10" x 8'0"   
 3'0" x 8'0"



Smooth

S2600   
 2'6" x 6'8"   
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"

S82600   
 2'6" x 8'0"   
 2'8" x 8'0"   
 2'10" x 8'0"   
 3'0" x 8'0"

**CLEAR GLASS WITH DIVIDED LITES**



Mahogany

FCM1205SL   
 12" x 6'8" (70")   
 14" x 6'8" (70")



Mahogany

FCM1206SL   
 12" x 6'8" (70")   
 14" x 6'8" (70")



Mahogany

FCM1204SL   
 12" x 6'8" (70")   
 14" x 6'8" (70")



Mahogany

FCM2009SL   
 12" x 6'8" (70")   
 14" x 6'8" (70")



Oak

FC1205   
 2'6" x 6'8"   
 2'8" x 6'8"   
 3'0" x 6'8"



Oak

FC1206   
 2'6" x 6'8"   
 2'8" x 6'8"   
 3'0" x 6'8"




Oak

FC1207   
 2'6" x 6'8"   
 2'8" x 6'8"   
 3'0" x 6'8"



Oak

2010   
 2'6" x 6'8"   
 2'8" x 6'8"   
 3'0" x 6'8"



Oak

FC1204   
 2'6" x 6'8"   
 2'8" x 6'8"   
 3'0" x 6'8"



Oak

2050   
 2'6" x 6'8"   
 2'8" x 6'8"   
 3'0" x 6'8"



Oak

8000-12   
 2'6" x 8'0"   
 2'8" x 8'0"   
 2'10" x 8'0"   
 3'0" x 8'0"



Oak

8000-18   
 2'6" x 8'0"   
 2'8" x 8'0"   
 2'10" x 8'0"   
 3'0" x 8'0"



Oak

FC1205SL   
 12" x 6'8"   
 14" x 6'8"



Oak

FC1206SL   
 12" x 6'8"   
 14" x 6'8"




**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 6.

XK = Reeded   
 XE = Satin Etch

XC = Chord   
 XJ = Chinchilla

XR = Rainglass   
 XN = Granite














**CLEAR GLASS WITH DIVIDED LITES** *Continues on next page.*



















- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite Options
- WBDR Options
- Elevated 10" Bottom Rail Options
- 6" Height Available





















**NEW**

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR. requirements in all 50 states indicated in gold.

**CLEAR GLASS WITH DIVIDED LITES** *Continued*

					
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S8000-12</b>  26" x 8'0" 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>S8000-18</b>  26" x 8'0" 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>S5705</b>  26" x 6'8" Δ 28" x 6'8" Δ 210" x 6'8" Δ 30" x 6'8" Δ	<b>S85705</b>  26" x 8'0" 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>S5715</b>  26" x 6'8" Δ 28" x 6'8" Δ 210" x 6'8" Δ 30" x 6'8" Δ	<b>S85715</b>  26" x 8'0" 28" x 8'0" 210" x 8'0" 30" x 8'0"
					
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>			
<b>S5725</b>  26" x 6'8" Δ 28" x 6'8" Δ 210" x 6'8" Δ 30" x 6'8" Δ	<b>S85725</b>  26" x 8'0" 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>S1205SL</b>  10" x 6'8" Δ 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")			

						
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S1206SL</b>  10" x 6'8" Δ 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>S1204SL</b>  10" x 6'8" Δ 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>S2010SL</b>  10" x 6'8" Δ 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>S85226SL</b>  12" x 8'0" 14" x 8'0"	<b>S2000SL-2C</b>  10" x 6'8" Δ 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>S2000SL-4C</b>  10" x 6'8" Δ 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>S2009</b>  20" x 6'8" Δ 26" x 6'8" Δ 28" x 6'8" Δ 210" x 6'8" Δ 30" x 6'8" Δ
						
<b>Smooth</b>	<b>Smooth</b>					
<b>S8000-9</b>  20" x 8'0" 26" x 8'0" 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>S2009SL</b>  10" x 6'8" Δ 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")					

					
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S5700</b>  26" x 6'8" Δ 28" x 6'8" Δ 210" x 6'8" Δ 30" x 6'8" Δ	<b>S85700</b>  26" x 8'0" 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>S5710</b>  26" x 6'8" Δ 28" x 6'8" Δ 210" x 6'8" Δ 30" x 6'8" Δ	<b>S85710</b>  26" x 8'0" 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>S5720</b>  26" x 6'8" Δ 28" x 6'8" Δ 210" x 6'8" Δ 30" x 6'8" Δ	<b>S85720</b>  26" x 8'0" 28" x 8'0" 210" x 8'0" 30" x 8'0"
					
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>		
<b>S691</b>  26" x 6'8" Δ 28" x 6'8" Δ 210" x 6'8" Δ 30" x 6'8" Δ	<b>S8691</b>  26" x 8'0" 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>S3400L</b>  26" x 6'8" 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>S83400L</b>  26" x 8'0" 28" x 8'0" 210" x 8'0" 30" x 8'0"		



Smooth

**S3400R**  
 ▲ ★ 2 E 6  
 26" x 6'8"  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**S83400R**  
 ▲ ★ 2 E 6  
 26" x 8'0"  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S3300**  
 ▲ ★ 2 E 6  
 26" x 6'8"  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**S83300**  
 ▲ ★ 2 E 6  
 26" x 8'0"  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S3500L**  
 ▲ ★ 2 E 6  
 26" x 6'8"  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**S83500L**  
 ▲ ★ 2 E 6  
 26" x 8'0"  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S3500R**  
 ▲ ★ 2 E 6  
 26" x 6'8"  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**S83500R**  
 ▲ ★ 2 E 6  
 26" x 8'0"  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S685L**  
 ▲ ★ 2 E 6  
 26" x 6'8" ▲  
 28" x 6'8" ▲  
 210" x 6'8" ▲  
 30" x 6'8" ▲

**S8685L**  
 ▲ ★ 2 E 6  
 26" x 8'0"  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S685R**  
 ▲ ★ 2 E 6  
 26" x 6'8" ▲  
 28" x 6'8" ▲  
 210" x 6'8" ▲  
 30" x 6'8" ▲

**S8685R**  
 ▲ ★ 2 E 6  
 26" x 8'0"  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S3600L**  
 ▲ ★ 2 E 6  
 26" x 6'8"  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"


**S83600L**  
 ▲ ★ 2 E 6  
 26" x 8'0"  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S3600R**  
 ▲ ★ 2 E 6  
 26" x 6'8"  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"


**S83600R**  
 ▲ ★ 2 E 6  
 26" x 8'0"  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S5700SL**  
 ▲ ★ 2 E  
 10" x 6'8" ▲  
 12" x 6'8" ▲ (70")  
 14" x 6'8" ▲ (70")

**S85227SL**  
 ▲ ★ 2 E  
 12" x 8'0"  
 14" x 8'0"




Smooth

**S5710SL**  
 ▲ ★ 2 E  
 10" x 6'8" ▲  
 12" x 6'8" ▲ (70")  
 14" x 6'8" ▲ (70")

**S85228SL**  
 ▲ ★ 2 E  
 12" x 8'0"  
 14" x 8'0"


**CLEAR GLASS**



Smooth

**S5720SL**  
 ▲ ★ 2 E  
 10" x 6'8"K  
 12" x 6'8"K (70")  
 14" x 6'8"K (70")

**S85229SL**  
 ▲ ★ 2 E  
 12" x 8'0"  
 14" x 8'0"



Oak

**2000**  
 ▲ ★  
 20" x 6'8"  
 26" x 6'8"  
 28" x 6'8"  
 30" x 6'8"

**8000**  
 ▲ ★  
 20" x 8'0"  
 26" x 8'0"  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Oak

**2000SL**  
 ▲ ★  
 12" x 6'8"  
 14" x 6'8"



Smooth

**S2000**  
 ▲ ★ E 6  
 20" x 6'8" ▲  
 26" x 6'8" ▲  
 28" x 6'8" ▲  
 210" x 6'8" ▲  
 30" x 6'8" ▲

**S8000**  
 ▲ ★ E 6  
 20" x 8'0"  
 26" x 8'0"  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S2000SL**  
 ▲ ★ E  
 10" x 6'8" ▲  
 12" x 6'8" ▲ (70")  
 14" x 6'8" ▲ (70")

**S85225SL**  
 ▲ ★ E  
 12" x 8'0"  
 14" x 8'0"

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)

- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)

- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)

- Flat Bronze Grilles Between Glass (GBGF)
- Vented Sidelite Options
- WBDR Options

- Elevated 10" Bottom Rail Options
- 6" Height Available

# 3/4 Lites



## PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
S2103_	S82103_	S2104_	S82105_	S82106_	S2250_	S82107_	S84886_SL
🔺🔻	🔺🔻	🔺🔻	🔺🔻	🔺🔻	🔺🔻	🔺🔻	🔺🔻
2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	12" x 8'0" 14" x 8'0"

## PRIVACY & TEXTURED GLASS

<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
S2103_SL	S2104_SL	S2250_SL	S2200_	S82200_	S8000_SL	S2200_SL
🔺🔻	🔺🔻	🔺🔻	🔺	🔺	🔺	🔺
12" x 6'8" 14" x 6'8"	12" x 6'8" 14" x 6'8"	12" x 6'8" 14" x 6'8"	2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	12" x 8'0" 14" x 8'0"	12" x 6'8" 14" x 6'8"

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 6.

**XK = Reeded**

**XC = Chord**

**XR = Rainglass**

**XE = Satin Etch**

**XJ = Chinchilla**

**XN = Granite**

## CLEAR GLASS WITH DIVIDED LITES



Smooth

S2103

2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

S82103

2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S2104

2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

S82104

2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S2250

2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

S82250

2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S84886SL

12" x 8'0"  
 14" x 8'0"



Smooth

S2103SL

12" x 6'8"  
 14" x 6'8"



Smooth

S2104SL

12" x 6'8"  
 14" x 6'8"



Smooth

S92SL

12" x 6'8"  
 14" x 6'8"



Smooth

S1401

2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S1401SL

12" x 6'8"  
 14" x 6'8"

## CLEAR GLASS



Smooth

S2200

2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

S82200

2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S8000SL

12" x 8'0"  
 14" x 8'0"

2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

12" x 6'8"  
 14" x 6'8"

12" x 6'8"  
 14" x 6'8"

- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)

- Simulated Divided Lites (SDLFI)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

# 1/2 Lites



## PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



Smooth

S4200\_  
 E  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

S84200\_  
 E  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

S6200\_  
 E  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

S86200\_  
 E  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

S9200\_  
 E  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

S89200\_  
 E  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

S4200\_SL  
 E  
 12" x 6'8" (70")  
 14" x 6'8" (70")

S84200\_SL  
 E  
 12" x 8'0"  
 14" x 8'0"



Smooth

S6200\_SL  
 E  
 12" x 6'8" (70")  
 14" x 6'8" (70")

S86200\_SL  
 E  
 12" x 8'0"  
 14" x 8'0"


## PRIVACY & TEXTURED GLASS



Smooth

S3200\_  
 E  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

S83200\_  
 E  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

S3200\_SL  
 E  
 12" x 6'8" (70")  
 14" x 6'8" (70")

S83200\_SL  
 E  
 12" x 8'0"  
 14" x 8'0"

## CLEAR GLASS WITH DIVIDED LITES



Smooth

S1350  
 E  
 26" x 6'8"  
 28" x 6'8"  
 30" x 6'8"



Smooth

S2150  
 E  
 26" x 6'8"  
 28" x 6'8"  
 30" x 6'8"



Smooth

S1409  
 E  
 26" x 6'8"  
 28" x 6'8"  
 30" x 6'8"

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 6.

XE = Satin Etch  
 XC = Chord

XJ = Chinchilla  
 XR = Rainglass

XN = Granite



Smooth

S4200

2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

S84200

2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S6200

2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

S86200

2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S9200

2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

S89200

2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S4200SL

12" x 6'8" (70")  
 14" x 6'8" (70")

S84200SL

12" x 8'0"  
 14" x 8'0"



Smooth

S6200SL

12" x 6'8" (70")  
 14" x 6'8" (70")

S86200SL

12" x 8'0"  
 14" x 8'0"

CLEAR GLASS



Smooth

S2100

2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"



Smooth

S3200

2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

S83200

2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S3200SL

12" x 6'8" (70")  
 14" x 6'8" (70")

S83200SL

12" x 8'0"  
 14" x 8'0"



- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLFI)

- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)

- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Elevated 10" Bottom Rail Options

# Craftsman Lites



## Optional Dentil Shelves<sup>1</sup>



**4-Block Dentil Shelf**  
Available for all Craftsman-style Fiber-Classic Mahogany Collection doors.



**4-Block Dentil Shelf**  
Available for all Craftsman-style Smooth-Star doors.

**SARATOGA™**

<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>FCM6240</b> E 28" x 6'8" (7'0") 210" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>FCM86240</b> 28" x 8'0" 210" x 8'0" 3'0" x 8'0"	<b>FCM6201SL</b> 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>FCM86201SL</b> 12" x 8'0" 14" x 8'0"	<b>FCM6240SL</b> 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>FCM86240SL</b> 12" x 8'0" 14" x 8'0"
<b>S6240</b> E 28" x 6'8" (7'0") 210" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S86240</b> 28" x 8'0" 210" x 8'0" 3'0" x 8'0"	<b>S6201SL</b> 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>S86201SL</b> 12" x 8'0" 14" x 8'0"	<b>S6240SL</b> 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>S86240SL</b> 12" x 8'0" 14" x 8'0"

## PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>
<b>FCM4812_*</b> E 28" x 6'8" (7'0") 210" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>FCM84812_*</b> 28" x 8'0" 210" x 8'0" 3'0" x 8'0"	<b>FCM4813_*</b> E 28" x 6'8" (7'0") 210" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>FCM84813_*</b> 28" x 8'0" 210" x 8'0" 3'0" x 8'0"	<b>FCM4814_*</b> E 28" x 6'8" (7'0") 210" x 6'8" (7'0") 3'0" x 6'8" (7'0")
<b>FCM84814_*</b> 28" x 8'0" 210" x 8'0" 3'0" x 8'0"	<b>FCM4816_*</b> E 28" x 6'8" (7'0") 210" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>FCM84816_*</b> 28" x 8'0" 210" x 8'0" 3'0" x 8'0"	<b>FCM2050_SL</b> 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>FCM84886_SL</b> 12" x 8'0" 14" x 8'0"

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 6.

**XK = Reeded**      **XC = Chord**      **XR = Rainglass**  
**XE = Satin Etch**      **XJ = Chinchilla**      **XN = Granite**

<sup>1</sup>Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

\*Not available with Reeded (XK) glass.






**CLEAR GLASS WITH DIVIDED LITES** *Continued* 



**Mahogany**

**FCM4814**

    
 28" x 6'8" (7'0")  
 210" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")




**FCM84814**

    
 28" x 8'0"  
 210" x 8'0"  
 3'0" x 8'0"



**Mahogany**

**FCM4816**

    
 28" x 6'8" (7'0")  
 210" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**FCM84816**

    
 28" x 8'0"  
 210" x 8'0"  
 3'0" x 8'0"



**Mahogany**

**FCM2050SL**

     
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

**FCM84886SL**

     
 12" x 8'0"  
 14" x 8'0"



**Mahogany**

**FCM4812SL**

    
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")




**FCM84812SL**

    
 12" x 8'0"  
 14" x 8'0"




**Smooth**

**S4812**

    
 28" x 6'8" (7'0")  
 210" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")




**S84812**

   
 28" x 8'0"  
 210" x 8'0"  
 3'0" x 8'0"



**Smooth**

**S4813**

    
 28" x 6'8" (7'0")  
 210" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")




**S84813**

   
 28" x 8'0"  
 210" x 8'0"  
 3'0" x 8'0"



**Smooth**

**S4814**

    
 28" x 6'8" (7'0")  
 210" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")




**S84814**

   
 28" x 8'0"  
 210" x 8'0"  
 3'0" x 8'0"



**Smooth**

**S4816**

    
 28" x 6'8" (7'0")  
 210" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**S84816**

   
 28" x 8'0"  
 210" x 8'0"  
 3'0" x 8'0"



**Smooth**

**S2010SL**

     
 10" x 6'8"   
 12" x 6'8"   
 14" x 6'8" 

**S84886SL**

    
 12" x 8'0"  
 14" x 8'0"



**Smooth**

**S4812SL**

   
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

**S84812SL**




   
 12" x 8'0"  
 14" x 8'0"

**CLEAR GLASS** 




**Mahogany**

**FCM4810**

    
 28" x 6'8" (7'0")  
 210" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")




**FCM84810**

   
 28" x 8'0"  
 210" x 8'0"  
 3'0" x 8'0"



**Mahogany**

**FCM2000SL**

    
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")



**FCM3000SL**

   
 12" x 8'0"  
 14" x 8'0"



**Mahogany**

**FCM4810SL**

   
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")




**FCM84810SL**

   
 12" x 8'0"  
 14" x 8'0"



**Smooth**

**S4810**

    
 28" x 6'8" (7'0")  
 210" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**S84810**

   
 28" x 8'0"  
 210" x 8'0"  
 3'0" x 8'0"



**Smooth**

**S2000SL**

     
 10" x 6'8"   
 12" x 6'8"   
 14" x 6'8" 



**S8000SL**

   
 12" x 8'0"  
 14" x 8'0"



**Smooth**

**S4810SL**




   
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

**S84810SL**

   
 12" x 8'0"  
 14" x 8'0"

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)

-  Simulated Divided Lites (SDLF1)
-  Flat or Contour White Grilles Between Glass (GBGF / GBGC)
-  Flat Almond Grilles Between Glass (GBGF)

-  Flat Bronze Grilles Between Glass (GBGF)
-  Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
-  Vented Sidelite Options

-  Elevated 10" Bottom Rail Options
-  6'6" Height Available



# THERMA-TRU<sup>®</sup> DOORS

thermatru.com

1-800-THERMA-TRU (843-7628)

1750 Indian Wood Circle  
Maumee, OH 43537



#thermatru

**LIFETIME**  
LIMITED WARRANTY

EnLiten™ flush-glazed designs are backed by our comprehensive lifetime limited warranty, plus warranty riders for peace of mind.

## EnLiten™ Flush-Glazed Riders

### For Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

### For Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.

Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on available product sizes and options, limited warranties and exclusions, Riders and ENERGY STAR qualified products.

Cover: Smooth-Star, Low-E Glass with SDLs, Door - S84200, Vented Sidelites - S8000SL, Finish - Onyx

©2025 Therma-Tru Corp. All rights reserved. THERMA-TRU and the Therma-Tru Logo are trademarks of Therma-Tru Corp. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. is an operating company of Fortune Brands Innovations, Inc. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency. O24-144653 Part #MAFFGB25 MTZT / JAN 2025